



Maxi Commercial Range




- All OSO MAXI products are made from Stainless Steel
- All stocked OSO MAXI products carry a 10 year warranty
- All OSO MAXI products up to 1000ltr are in UK stock*, ready for 3-5 day delivery including direct to site
- 12 Competitively priced stocked models available in 5 types from 300ltr up to 1000ltr
- Immersions can be configured as Single or Three Phase
- All stocked OSO MAXI units have 1.5" hot and cold tapplings as standard
- We supply G3 kits and expansion vessel – all included in the price
- We supply units up to >400ltr with 28mm fittings kit, 600ltr units up to >1000ltr with 1.5" fittings kit as standard
- We can supply 28mm fittings kit with larger units if desired
- Optional flow through expansion vessels on request
- Free advice, free site surveys




Maxi Standard/Xpress

- In UK stock immediate despatch
- 15kW and 27kW electric immersion options
- 1.5 inch cold feed & hot draw-off connections
- 10-year warranty
- Bespoke units from 600ltr – 20,000ltr




Maxi Coil

- In UK stock for immediate despatch
- 10bar operating pressure (15bar tested)
- 1.5 inch cold feed & hot draw-off connections
- 10 year warranty
- Bespoke units from 600ltr – 20,000ltr



Maxi Geo Coil

- In UK stock for immediate despatch
- Large internal coils up to 10sqm
- ASHP and boiler compatible
- Fast recovery & high continuous outputs
- 1.5 inch cold feed & hot draw-off connections
- Bespoke units from 600ltr – 20,000ltr



Maxi ACCU Heat


- In UK stock for immediate despatch
- Factory fitted sensor pockets
- Large connection sizes
- 10-year warranty
- Bespoke units from 600ltr – 20,000ltr
- *Chilled water range also available POA

1" or 1 1/2" valve kit to be specified on order
MX cylinders require elements to be ordered separately - Part number 11010542
All elements can be configured single or three phase.
600L and 1000L buffer vessels come with 3 x 1/2" sensor pockets.

		Dry Weight kg	Dia and height	Usually Ex Stock?	Secondary Return	Hydraulic Conns H&C	Tapping sizes F&R	Tapping sizes H&C	Vessel Size Litres	G3 kit and vessel included?	ErP	Heat Loss W	Immersion recovery	Immersion power	Recovery time coil Heat pump	Coil size m2	Recovery time 82 °- 71 °	Coil size kW	Code	Actual volume Litre
MS	DIRECT/BUFFER VESSEL WITH ELECTRIC BACK-UP																			
10241551	OSO MAXI STANDARD MS300 BUFFER/DIRECT 7.5kW + 7.5kW	280	MS300	n/a	n/a	n/a	n/a	15kw	46	83	C	Y	35	1.5"	n/a	n/a	n/a	n/a	595 x 1765	57
10241552	OSO MAXI STANDARD MS400 BUFFER/DIRECT 7.5kW + 7.5kW	372	MS400	n/a	n/a	n/a	n/a	15kw	61	90	C	Y	35	1.5"	n/a	n/a	n/a	n/a	595 x 2225	77
MX	DIRECT/BUFFER VESSEL WITH FAST RECOVERY ELECTRIC BACK-UP																			
10241653	OSO MAXI XPRESS MX600 BUFFER/DIRECT 9kW+9kW+9kW	570	MX600	n/a	n/a	n/a	n/a	27kw	47	120	C	Y	60	1.5"	n/a	n/a	n/a	n/a	800 x 2030	139
10241654	OSO MAXI XPRESS MX1000 BUFFER/DIRECT 9kW+9kW+9kW	885	MX1000	n/a	n/a	n/a	n/a	27kw	72	142	C	Y	100	1.5"	n/a	n/a	n/a	n/a	1000 x 2100	244
MC	INDIRECT UNITS																			
10241753	OSO MAXI COIL INDIRECT MC600 CYLINDER 7.5kW + 7.5kW	562	MC600	30	46	1.0	n/a	15kw	92	119	C	Y	60	1.5"	n/a	1"	n/a	n/a	800 x 2030	139
10241754	OSO MAXI COIL INDIRECT MC1000 CYLINDER 7.5kW + 7.5kW	875	MC1000	30	72	1.0	n/a	15kw	143	142	C	Y	100	1.5"	n/a	1"	n/a	n/a	1000 x 2100	244
MGC	UNITS SUITABLE FOR HEAT-PUMPS OR FASTER RECOVERY INDIRECTS																			
10241852	OSO MAXI GEOCOIL MGC400 CYLINDER 9 kW	362	MGC400	90	10	3.1	*	9kw	n/a	96	C	Y	35	1.5"	3/4"	n/a	n/a	n/a	595 x 2172	95
10241853	OSO MAXI GEOCOIL MGC600 CYLINDER 7.5kW + 7.5kW	540	MGC600	135	10	4.6	*	15kw	n/a	118	C	Y	60	1.5"	1.5"	n/a	n/a	n/a	800 x 2030	160
10241854	OSO MAXI GEOCOIL MGC1000 CYLINDER 7.5kW + 7.5kW	838	MGC1000	200	11	7.0	*	15kw	n/a	141	C	Y	100	1.5"	1.5"	n/a	n/a	n/a	1000 x 2100	265
MA	ACCUMULATOR/BUFFER VESSEL																			
8001352	OSO MAXI ACCU ACCUMULATOR MA400 SS/PLUS 6 bar	376	MA400	n/a	n/a	n/a	n/a	n/a	n/a	96	C	N	n/a	n/a	n/a	n/a	n/a	n/a	595 x 2175	77
8001353	OSO MAXI ACCU ACCUMULATOR MA600 SS/PLUS 6 bar	570	MA600	n/a	n/a	n/a	n/a	n/a	n/a	119	C	N	n/a	n/a	n/a	n/a	n/a	n/a	800 x 2030	148
8001354	OSO MAXI ACCU ACCUMULATOR MA1000 SS/PLUS 6 bar	885	MA1000	n/a	n/a	n/a	n/a	n/a	n/a	140	C	N	n/a	n/a	n/a	n/a	n/a	n/a	1000 x 2100	238

*For heat uptimes using heat pumps contact OSO Hotwater

MAXI Bespoke



- Available up to 20,000 litres with optional vacuum insulation.
- Available as heat or chilled buffer vessels, high temp indirect, heat pump indirect, twin coil solar thermal, and fast recovery direct
- Short lead times
- Optional: connection sizes, coil inputs, immersion inputs, additional connections and sensor pockets
- Large immersion kW power available
- Large smooth coil up to 10m².
- 5 year warranty

Multipoint Water Heater



Overview

- Direct electric water heaters for lighter demands
- Stainless steel construction with 10 year warranty
- Suitable for domestic or commercial applications

Performance

- 70° storage temperature produces 20% more hot water
- 60° delivery through tamperproof blending valve
- Extra hot water volume allows smaller unit to be installed
- Space saving due to downsizing
- 3kw for speedier recovery

Flexibility

- Universal siting options - wall or floor mounting
- 30 and 50L fit inside a standard kitchen base unit
- 50L and above suitable for shower demands
- Simple wiring connection - factory fitted cable
- Bracket included for wall mounting
- Includes expansion vessel, valves, fittings and flexi hoses
- 4 sizes 30/50/80/100 litres
- Suitable for domestic or commercial applications

Size	435 W x H	V40 @70	no of 6min 9 l/m showers	no of 5l basins	Recovery time to 65°C	Heat loss W
30	542	52	1	10	29	22
50	697	84	1.5	16	46	29
80	1017	132	2.4	26	80	36
100	1237	168	3.1	33	92	45

OSO